

*Annual Drinking Water Quality Report for 2025
Town of Morristown Water District
PO Box 240 Morristown NY
(Public Water Supply ID# 4404391)*

INTRODUCTION

To comply with State and Federal regulations, the Town of Morristown, will be annually issuing a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, your tap water met all State drinking water health standards. We are proud to report that our system has not violated a maximum contaminant level or any other water quality standard. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards. If you have any questions about this report or concerning your drinking water, please contact **The Development Authority of the North Country, at 315-661-3210**. We want you to be informed about your drinking water. If you want to learn more, please attend any of our regularly scheduled town board meetings. The meetings are held on the second Tuesday of the month at 6:00 pm in the town offices.

WHERE DOES MY WATER COME FROM?

The sources of drinking water (both tap and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and groundwater wells. As water travels over the surface of the land or through the ground it dissolves naturally occurring minerals and can pick up substances resulting from the presence of animals or human activities. Contaminants that may be present in source water include microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure the tap water is safe to drink, NYS and the U.S. Environmental Protection Agency (EPA) prescribe regulations, which limit the amount of certain contaminants in water provided by public water systems. The NYS Department of Health (DOH) and the Food & Drug Administration (FDA) have established regulatory limits for contaminants in bottled water which must provide the same protection as tap water for public health.

Our water system serves approximately 395 people through 241 service connections. Our water source is the Saint Lawrence River. The intake is approximately 250 feet off shore in 18 feet of water and is located at 300 Caroline St. The water is gravity fed into the wet well and then pumped through two 129 GPM Diatomaceous earth filters where chlorine is added for disinfection prior to distribution.

ARE THERE CONTAMINANTS IN MY DRINKING WATER?

As the State regulations require, we routinely test your drinking water for numerous contaminants. These contaminants include Total Coliform, E.coli, Inorganic Compounds, Nitrate, Nitrite, Sodium, Chlorides, Lead & Copper, Volatile Organic Compounds, Total Trihalomethanes (TTHMs), Haloacetic acids (HAA5s) and Synthetic Organic Compounds (which include herbicides, pesticides etc.) and radiological contaminants. The table presented below depicts which compounds were detected in your drinking water. It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the NYS Health Department at (315) 386-1040.

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date of Sample	Average Level Detected (Range)	Unit of Measure	MCLG	Regulatory Limit (MCL, TT or AL)	Likely Source of Contamination
Turbidity							
Turbidity ¹	No	Daily	100% <1.0	NTU	N/A	TT=95% of all samples ≤ 1.0	Soil runoff
Turbidity ¹	No	06/08/25	0.48	NTU	N/A	TT ≤ 1.0	Soil runoff
Distribution System Turbidity ²	No	01/10/25	0.45	NTU	N/A	MCL = 5	Soil runoff
Inorganics							
Nitrate	No	04/07/25	0.30	mg/L	10	MCL=10.0	Runoff from fertilizer use; Leaching from septic tanks; Sewage; Erosion of natural deposits
Barium	No	10/07/25	0.021	mg/L	2	MCL=2.0	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Lead	No	09/19/24	3.4 ³ (ND- 3.8)	ug/L	0	AL=15	Corrosion of household plumbing systems; Erosion of natural deposits
Copper	No	09/19/24	0.3889 ⁴ (0.1108--0.4371)	mg/L	1.3	AL=1.3	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservative
Disinfection Byproducts							
Haloacetic Acids (Haa5'S)	No	2025/quarterly	19.5 ⁵ (12.9-24.1)	ug/L	N/A	MCL=60	By-product of drinking water chlorination needed to kill harmful organisms
Total Trihalomethanes (TTHM's chloroform, bromodichloromethane, dibromochloromethane, and bromoform)	No	2025/quarterly	46.5 ⁵ (20.4-56.2)	ug/L	N/A	MCL=80	By-product of drinking water chlorination needed to kill harmful organisms. TTHMs are formed when source water contains large amounts of organic matter.

Contaminant	Violation Yes/No	Date of Sample	Average Level Detected (Range)	Unit of Measure	MCLG	Regulatory Limit (MCL, TT or AL)	Likely Source of Contamination
Synthetic Organic Contaminants							
Perfluorooctanesulfonic acid (PFOS)	No	10/28/25	2.00	ng/L	N/A	MCL=10	Released into the environment from widespread use in commercial and industrial applications
Perfluorooctanoic acid (PFOA)	No	10/28/25	1.96	ng/L	N/A	MCL=10	Released into the environment from widespread use in commercial and industrial applications
<p>Notes</p> <p>¹ Turbidity is a measure of the cloudiness of the water. We test it because it is a good indicator of the effectiveness of our filtration system. Our highest single turbidity measurement for the year occurred on 06/08/25 (0.48 NTU). State regulations require that turbidity must always be below 5 NTU. The regulations require that 95% of the turbidity samples collected have measurements below 1.0 NTU.</p> <p>² Distribution Turbidity is a measure of the cloudiness of the water found in the distribution system. We monitor it as a good indicator of water quality. High turbidity can hinder the effectiveness of disinfectants. Our highest monthly distribution turbidity measurement detected during the year (0.45 NTU) occurred on 01/10/25. This value is below the State's maximum contaminant level (5 NTU).</p> <p>³ The level presented is the 90th percentile of the 10 sites tested. A percentile is a value on a scale of 100 that indicates the percent measurements that is equal to or below it. This means in our system Lead levels in 8 sites are below the 90th percentile value and 1 site is above the 90th percentile. The action level for Lead was not exceeded at any of the sites tested.</p> <p>⁴ The level presented is the 90th percentile of the 10 sites tested. A percentile is a value on a scale of 100 that indicates the percent measurements that is equal to or below it. This means in our system copper levels in 8 sites are below the 90th percentile value and 1 site is above the 90th percentile. The action level for Copper was not exceeded at any of the sites tested.</p> <p>⁵ This level represents the highest locational running average calculated from the data collected.</p>							

DEFINITIONS

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Non-Detect (N/D): Concentration of the sample analyzed was below detection levels.

Milligrams per liter (mg/L): Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/L): Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Nanogram per liter (ng/L): Corresponds to one part of liquid in one trillion parts of liquid (parts per trillion-ppt)

Non-Applicable (N/A): Does not apply.

WHAT DOES THIS INFORMATION MEAN?

As you can see by the table, our system had no violations. We have learned through our testing that some contaminants have been detected; however, these contaminants were detected below the level allowed by the State. We are required to present the following information on lead in drinking water:

Lead can cause serious health effects in people of all ages, especially pregnant people, infants (both formula-fed and breastfed), and young children. Lead in drinking water is primarily from materials and parts used in service lines and in home plumbing. *Town of Morristown* is responsible for providing high quality drinking water and removing lead pipes but cannot control the variety of materials used in the plumbing in your home. Because lead levels may vary over time, lead exposure is possible even when your tap sampling results do not detect lead at one point in time. You can help protect yourself and your family by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Using a filter, certified by an American National Standards Institute accredited certifier to reduce lead, is effective in reducing lead exposures. Follow the instructions provided with the filter to ensure the filter is used properly. Use only cold water for drinking, cooking, and making baby formula. Boiling water does not remove lead from water. Before using tap water for drinking, cooking, or making baby formula, flush your pipes for several minutes. You can do this by running your tap, taking a shower, doing laundry or a load of dishes. If you have a lead service line or galvanized requiring replacement service line, you may need to flush your pipes for a longer period. If you are concerned about lead in your water and wish to have your water tested, contact *The Development Authority of the North Country*, at (315) 661-3210. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at <https://www.epa.gov/safewater/lead>.

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

During 2025, our system was in compliance with all applicable State drinking water requirements.

INFORMATION ON LEAD SERVICE LINE INVENTORY

A Lead Service Line (LSL) is defined as any portion of pipe that is made of lead which connects the water main to the building inlet. An LSL may be owned by the water system, owned by the property owner, or both. The inventory includes both potable and non-potable SLs within a system. In accordance with the federal Lead and Copper Rule Revisions (LCRR) our system has prepared a lead service line inventory and have made it publicly accessible by posting at the Town office.

DO I NEED TO TAKE SPECIAL PRECAUTIONS?

Although our drinking water met or exceeded state and federal regulations, some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium*, *Giardia* and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

INFORMATION ON UNREGULATED PERFLUOROALKYL SUBSTANCES

In 2025 drinking water samples were collected and analyzed with detections of the unregulated perfluoroalkyl substances listed in the table below. Please contact the Development Authority of the North Country at 315-661-3210 with any questions regarding the results.

Contaminant	Violation Yes/No	Date of Sample	Average Level Detected (Range)	Unit of Measure	MCLG	Regulatory Limit (MCL, TT or AL)	Likely Source of Contamination
Unregulated Perfluoroalkyl Substances¹							
Perfluorobutanoic Acid (PFBA)	No	10/28/25	4.18	ng/L	N/A	MCL= 50,000	Released into the environment from widespread use in commercial and industrial applications
Perfluoropentanoic Acid (PFPeA)	No	10/28/25	1.54	ng/L	N/A	MCL= 50,000	Released into the environment from widespread use in commercial and industrial applications
Perfluorobutanesulfonic Acid (PFBS)	No	10/28/25	0.792	ng/L	N/A	MCL= 50,000	Released into the environment from widespread use in commercial and industrial applications
Perfluorohexanoic Acid (PFHxA)	No	10/28/25	1.62	ng/L	N/A	MCL= 50,000	Released into the environment from widespread use in commercial and industrial applications
Perfluoroheptanoic Acid (PFHpA)	No	10/28/25	1.02	ng/L	N/A	MCL= 50,000	Released into the environment from widespread use in commercial and industrial applications
Perfluorohexanesulfonic Acid (PFHxS)	No	10/28/25	0.867	ng/L	N/A	MCL= 50,000	Released into the environment from widespread use in commercial and industrial applications
¹ Due to the Emerging Contaminant regulation, sampling of PFOA and PFOS is required. Due to a detection of (PFOA or PFOS), additional sampling required all analytics within the method be reported, in accordance with Footnote 3 of Table 9C, Subpart 5-1. This expanded analysis detected Perfluorobutanoic Acid (PFBA), Perfluoropentanoic Acid (PFPeA), Perfluorobutanesulfonic Acid (PFBS), Perfluorohexanoic Acid (PFHxA), Perfluoroheptanoic Acid (PFHpA), and Perfluorohexanesulfonic Acid (PFHxS) below the MCL.							

WHY SAVE WATER AND HOW TO AVOID WASTING IT?

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- Saving water saves energy and some of the costs associated with both of these necessities of life
- Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
- Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential firefighting needs are met.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So, get a run for your money and load it to capacity.
- Turn off the tap when brushing your teeth.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.

CLOSING

Thank you for allowing us to continue to provide your family with quality drinking water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. The costs of these improvements may be reflected in the rate structure. Rate adjustments may be necessary in order to address these improvements. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future. Please call our office if you have questions.